ELSEVIER

Journal of Controlled Release 55 (1998) 307–308

journal of controlled release

Contents Volume 55 (1998)

Vol. 55, No. 1 (30 OCTOBER 1998)

Editorial
New Editor-in-Chief 1

Floating dosage forms: an in vivo study demonstrating prolonged gastric retention
L. Whitehead, J.T. Fell, J.H. Collett, H.L. Sharma and A.-M. Smith (Manchester, UK) 3
pH of preparations affecting the on–off drug penetration behavior through the thermo-responsive liquid crystal-embedded membrane
S.-Y. Lin (Taipei, China), K.-S. Chen and Y.-Y. Lin (Taiwan, China) 13
Enhanced loading and activity retention of bioactive proteins in hydrogel delivery systems
S.H. Gehrke, L.H. Uhden and J.F. McBride (Cincinnati, OH, USA) 21
Effect of brefeldin A and lysosomotropic reagents on intracellular trafficking of epidermal growth factor and transferrin in Madin-Darby canine kidney epithelial cells
Y. Shitara, Y. Kato and Y. Sugiyama (Tokyo, Japan) 35
Evaluation and comparison of dissolution data derived from different modified release dosage forms: an alternative method
V. Pillay and R. Fassihi (Philadelphia, PA, USA) 45
A novel co-crosslinked polysaccharide: studies for a controlled delivery matrix
T. Coviello, M. Dentini, G. Rambone, P. Desideri, M. Carafa, E. Murtas, F.M. Riccieri and F. Alhaique (Rome, Italy) 57
Design of a new multiparticulate system for potential site-specific and controlled drug delivery to the colonic region
M. Rodríguez, J.L. Vila-Jato and D. Torres (Santiago de Compostela, Spain) 67
In vitro release of trypanocidal drugs from biodegradable implants based on poly(ε-caprolactone) and poly(D,L-lactide)
Y. Lemmouchi, E. Schacht and C. Lootens (Ghent, Belgium) 79
Preparation and characterization of thermally responsive block copolymer micelles comprising poly(*N*-isopropylacrylamide-*b*-DL-lactide)
F. Kohori, K. Sakai, T. Aoyagi, M. Yokoyama, Y. Sakurai and T. Okano (Tokyo, Japan) 87

Summary of Critique by Feng Zheng 99
Response to Critique by Feng Zheng 101

Vol. 55, Nos. 2,3 (13 NOVEMBER 1998)

Plasma protein adsorption on biodegradable microspheres consisting of poly(D,L-lactide-co-glycolide), poly(L-lactide) or ABA triblock copolymers containing poly(oxyethylene). Influence of production method and polymer composition
M. Lück (Berlin, Germany), K.-F. Pistel, Y.-X. Li (Marburg, Germany), T. Blunk (Cambridge, MA, USA), R.H. Müller (Berlin, Germany) and T. Kissel (Marburg, Germany) 107

Growth factor release from thermally reversible tissue culture substrates
H. von Recum (Salt Lake City, UT, USA), T. Okano (Salt Lake City, UT, USA and Tokyo, Japan) and S.W. Kim (Salt Lake City, UT, USA) 121
Lectin-mediated bioadhesion: binding characteristics of plant lectins on the enterocyte-like cell lines Caco-2, HT-29 and HCT-8
F. Gabor, M. Stangl and M. Wirth (Vienna, Austria) 131
Design and evaluation of chitosan/ethylcellulose mucoadhesive bilayered devices for buccal drug delivery
C. Remuñán-López, A. Portero, J.L. Vila-Jato and M.J. Alonso (Santiago de Compostela, Spain) 143
Investigation of the percutaneous penetration of prostaglandin E_1 and its ethyl ester
M.-T. Sheu, L.-H. Lin (Taiwan, ROC), B.W. Spur, P.Y.-K. Wong (Stratford, NJ, USA) and H.-S. Chiang (Taiwan, ROC) 153
Synthesis and hydrolytic properties of polyphosphazene/(diamine)platinum/saccharide conjugates
S.-C. Song and Y.S. Sohn (Seoul, South Korea) 161
Preparation and in vitro release studies of ibuprofen-loaded films and microspheres made from graft copolymers of poly(L-lactic acid) on acrylic backbones
A. Gallardo (Madrid, Spain), J.L. Eguiburu, M.J.F. Berridi (San Sebastián, Spain) and J. San Román (Madrid, Spain) 171
A new preparation method for protein loaded poly(D,L-lactic-co-glycolic acid) microspheres and protein release mechanism study
T.G. Park, H.Y. Lee and Y.S. Nam (Taejon, South Korea) 181
An original method for studying in vitro the enzymatic degradation of cross-linked starch microspheres
G. Hamdi, G. Ponchel and D. Duchêne (Châtenay-Malabry, France) 193
A poly(D,L-lactide-co-glycolide) microsphere depot system for delivery of haloperidol
Y.-H. Cheng, L. Illum and S.S. Davis (Nottingham, UK) 203
In vitro drug release from self-catalyzed poly(ortho ester): Case study of 5-fluorouracil
M.B. Sintzel (Geneva, Switzerland), J. Heller, S.Y. Ng (Redwood City, CA, USA), C. Tabatabay, K. Schwach-Abdellaoui and R. Gurny (Geneva, Switzerland) 213
Incorporation of water-insoluble anticancer drug into polymeric micelles and control of their particle size
M. Yokoyama (Tokyo and Chiba, Japan), A. Satoh (Tokyo, Japan), Y. Sakurai, T. Okano (Tokyo and Chiba, Japan), Y. Matsumura, T. Kakizoe (Tokyo, Japan) and K. Kataoka (Chiba, Japan) 219
Drug targeting using low density lipoprotein (LDL): physicochemical factors affecting drug loading into LDL particles
A. Kader, P.J. Davis, M. Kara and H. Liu (St. John's, Canada) 231
Gamma scintigraphic studies on guar gum matrix tablets for colonic drug delivery in healthy human volunteers
Y.S.R. Krishnaiah, S. Satyanarayana, Y.V. Rama Prasad and S. Narasimha Rao (Visakhapatnam, India) 245
Mechanisms of percutaneous absorption of tamoxifen by terpenes: eugenol, D-limonene and menthone
K. Zhao and J. Singh (Fargo, ND, USA) 253
Erosion and controlled release properties of semisolid vesicular phospholipid dispersions
C. Tardi (Freiburg and Ludwigshafen, Germany), M. Brandl (Freiburg, Germany and Tromsø, Norway) and R. Schubert (Freiburg, Germany) 261
Reconstructed human skin as model for liposome–skin interaction
S. Zellmer (Halle, Germany), D. Reissig (Leipzig, Germany) and J. Lasch (Halle, Germany) 271
Development of a multiple-drug delivery implant for intraocular management of proliferative vitreoretinopathy
T. Zhou (Columbus, OH, USA), H. Lewis, R.E. Foster (Cleveland, OH, USA) and S.P. Schwendeman (Columbus, OH, USA) 281
Penetration enhancing effect of tetrahydrogeraniol on the percutaneous absorption of 5-fluorouracil from gels in excised rat skin
R.M. Hanif, P. Qineng and G. Zhan (Nanjing, China) 297

Author Index Volume 55 303
Subject Index Volume 55 305
Contents Volume 55 307

Drug targeting using low density lipoprotein (LDL): physicochemical factors affecting drug loading into LDL particles
A. Kader, P.J. Davis, M. Kara and H. Liu (St. John's, Canada) 231
Gamma scintigraphic studies on guar gum matrix tablets for colonic drug delivery in healthy human volunteers
Y.S.R. Krishnaiah, S. Satyanarayana, Y.V. Rama Prasad and S. Narasimha Rao (Visakhapatnam, India) 245
Mechanisms of percutaneous absorption of tamoxifen by terpenes: eugenol, D-limonene and menthone
K. Zhao and J. Singh (Fargo, ND, USA) 253
Erosion and controlled release properties of semisolid vesicular phospholipid dispersions
C. Tardi (Freiburg and Ludwigshafen, Germany), M. Brandl (Freiburg, Germany and Tromsø, Norway) and R. Schubert (Freiburg, Germany) 261
Reconstructed human skin as model for liposome–skin interaction
S. Zellmer (Halle, Germany), D. Reissig (Leipzig, Germany) and J. Lasch (Halle, Germany) 271
Development of a multiple-drug delivery implant for intraocular management of proliferative vitreoretinopathy
T. Zhou (Columbus, OH, USA), H. Lewis, R.E. Foster (Cleveland, OH, USA) and S.P. Schwendeman (Columbus, OH, USA) 281
Penetration enhancing effect of tetrahydrogeraniol on the percutaneous absorption of 5-fluorouracil from gels in excised rat skin
R.M. Hanif, P. Qineng and G. Zhan (Nanjing, China) 297

Author Index Volume 55 303
Subject Index Volume 55 305
Contents Volume 55 307